Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB

INFORMATION DISCLOSURE					Application Number		10/582,524	
STATEMENT BY APPLICANT (use as many sheets as necessary)					Filing Date		April 5, 2007	
					First Named Inventor		Thomas N. Horsky	
					Group Art Unit		1041	
					Examiner Name		Bernard Souw	
Sheet	Sheet 1 of 1				Attorney Docket Number		211843-00047	
U.S. PATENT DOCUMENTS								
Examiner Initials*	Cite No. 1	Document Number Number - Kind Code ² (if known)			ication Date -DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	
	A1	2003/072875		04-1	7-2003	Sandhu Gurtej		
				_				
				-				
				+-				
	 - 	ļ —		+				
	-			+				
	├─			+				
	t		-	T				
	1	i		1				
	T			1				
			,					

FOREIGN PATENT DOCUMENTS

		Foreign Patent Document			Pages, Columns,	
1					Lines, Where	
	Cite			Name of Patentee or	Relevant Passages	
Examiner	No.	Country Code 3 -Number 4- Kind Code	Publication Date	Applicant of Cited	or Relevant Figures	
Initials*	1	5 (if known)	MM-DD-YYYY	Document	Appear	T°
	B1	EP 0479375	04-08-1992			
	B2	EPO Search Report				

Examiner Initials*	Cite No.	OTHER PRIOR ART — NON PATENT LITERATURE DOCUMENTS Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), oblume-issue number(s), publisher city and/or country where published J.J. Sullivan et al. "Mass Flow Measurement and Control of Low Vapor Pressure Sources" Journal of Vacuum Science and Technology, Part A, AVS/AIP, Melville, NY US, Vol. 7, No. 3, Part 2, May 1, 1989, Pages 2387-2392.					
	C1						
Examiner Signature		Date Considered					

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not

^{*}EAAMINE: Intual 1 reference considered, whether or not cluston is in conformance with Merce '099. Draw time introgen catalon is into in considered. Include copy of this form white next communication by applicant.

*Applicant's unique clustion dissignation manther (optional). *See Kinder codes (To Page 18) as as www.upgio.org of the Form white Profile that issued the document by the two-letter code (WIPO Sandand xr. 3.). *For Japanese patent documents, the indication of the year of the Temperor must precede the serial number of the patent document. *Xind of document by the appropriate symbols as indicated on the document under WIPO Sandard ST. 16 if possible. *Applicant is to place a clock must here if English Indianger Translation is attached.